

Apparaten

Apparaat nr.	Patch	Type	Mode	Optiek	Klasse	Nota
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Cyclorama Light ACP 1001	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ADB Europe C 101	Control	1kW	1kW	
		ETC Source Four Zoom 25°-50°	Control	750/230V	750W	
		ETC Source Four Zoom 25°-50°	Control	750/230V	750W	
		ETC Source Four Zoom 25°-50°	Control	750/230V	750W	

		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
		Generic Par 64	Control	CP62	1kW	
25	1.25	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
26	1.26	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
27	1.27	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
28	1.28	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
29	1.29	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
30	1.30	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
31	1.31	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
32	1.32	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
33	1.33	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
34	1.34	ADB Europe C 203	Control	8° - 58°	2kW	Zaalbrug
35	1.35	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
36	1.36	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
37	1.37	Spotlight Sintesi	Control	CP75	2kW	Zaalbrug
38	1.38	Spotlight Sintesi	Control	CP75	2kW	Zaalbrug
39	1.39	ADB Europe DS 205	Control	13° - 36°	2kW	Zaalbrug
40	1.40	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
41	1.41	Spotlight Sintesi	Control	CP75	2kW	Zaalbrug
42	1.42	Spotlight Sintesi	Control	CP75	2kW	Zaalbrug
43	1.43	ADB Europe DS 105	Control	1,2kW	1,2KW	Zaalbrug
44	1.44	ADB Europe DS 205	Control	13° - 36°	2kW	Zaalbrug
107	1.107	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
108	1.112	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
109	1.117	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
110	1.122	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
111	1.127	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
112	1.132	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
113	1.137	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
114	1.142	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug

115	1.147	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
116	1.152	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
117	1.157	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
118	1.162	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	Zaalbrug
129	1.206	Elation Fuze Profile	Standard 1.0.9	9° - 44°	540W	Zaalbrug
130	1.244	Elation Fuze Profile	Standard 1.0.9	9° - 44°	540W	Zaalbrug
131	1.282	Elation Fuze Profile	Standard 1.0.9	9° - 44°	540W	Zaalbrug
132	1.320	Elation Fuze Profile	Standard 1.0.9	9° - 44°	540W	Zaalbrug
133	2.1	Elation SixBar 1000	4	30°	145W	
134	2.14	Elation SixBar 1000	4	30°	145W	
135	2.27	Elation SixBar 1000	4	30°	145W	
136	2.40	Elation SixBar 1000	4	30°	145W	
137	2.53	Elation SixPar 200	8 Channel	36°	150W	
138	2.61	Elation SixPar 200	8 Channel	36°	150W	
139	2.69	Elation SixPar 200	8 Channel	36°	150W	
140	2.77	Elation SixPar 200	8 Channel	36°	150W	
141	2.85	Elation SixPar 200	8 Channel	36°	150W	
142	2.93	Elation SixPar 200	8 Channel	36°	150W	
143	2.101	Elation SixPar 200	8 Channel	36°	150W	
144	2.109	Elation SixPar 200	8 Channel	36°	150W	
145	2.117	Elation SixPar 200	8 Channel	36°	150W	
146	2.125	Elation SixPar 200	8 Channel	36°	150W	
147	2.133	Elation SixPar 200	8 Channel	36°	150W	
148	2.141	Elation SixPar 200	8 Channel	36°	150W	
149	2.149	Elation SixPar 200	8 Channel	36°	150W	
150	2.157	Elation SixPar 200	8 Channel	36°	150W	
151	2.165	Elation SixPar 200	8 Channel	36°	150W	
152	2.173	Elation SixPar 200	8 Channel	36°	150W	
153	2.181	Elation SixPar 200	8 Channel	36°	150W	
154	2.189	Elation SixPar 200	8 Channel	36°	150W	
155	2.197	Elation SixPar 200	8 Channel	36°	150W	
156	2.205	Elation SixPar 200	8 Channel	36°	150W	
157	2.213	Elation SixPar 200	8 Channel	36°	150W	
158	2.221	Elation SixPar 200	8 Channel	36°	150W	
159	2.229	Elation SixPar 200	8 Channel	36°	150W	
160	2.237	Elation SixPar 200	8 Channel	36°	150W	
161	2.245	Elation SixPar 200	8 Channel	36°	150W	
162	2.253	Elation SixPar 200	8 Channel	36°	150W	
163	2.261	Elation SixPar 200	8 Channel	36°	150W	
164	2.269	Elation SixPar 200	8 Channel	36°	150W	
165	2.277	Elation SixPar 200	8 Channel	36°	150W	
166	2.285	Elation SixPar 200	8 Channel	36°	150W	
167	2.293	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W	

197	2.443	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W
198	2.448	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W
199	2.453	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W
200	2.458	ETC ColorSource Spot Zoom 25°-50° (Deep Blue)	5 Channel Mode	28,5° - 49,5°	160W
201	2.463	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
202	2.468	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
203	2.473	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
204	2.478	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
205	2.483	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
206	2.488	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
207	2.493	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
208	2.498	ETC ColorSource Spot with CYC (DeepBlue)	5 Channel Mode	65°	160W
209	3.1	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
210	3.32	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
211	3.63	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
212	3.94	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
213	3.125	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
214	3.156	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
215	3.187	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
216	3.218	Elation Fuze Spot	Standard 1.0.10	8,6° - 44,2°	466W
					159kW
					308W